



1. A compound of the formula **Ia** or **Ib**:



(Ia)



(Ib)

wherein:

A is CH₂, or a single bond;

R₂ is selected from: R, OH, OR, CO₂H, CO₂R, COH, COR, SO₂R, CN;

R₆, R₇, and R₉ are independently selected from H, R, OH, OR, halo, amino, NHR, nitro, Me₃Sn;

where R is a lower alkyl group having 1 to 10 carbon atoms, or an aralkyl group of up to 12 carbon atoms, whereof the alkyl group optionally contains one or more carbon-carbon double or triple bonds, which may form part of a conjugated system, or an aryl group of up to 12 carbon atoms; and is optionally substituted by one or more halo, hydroxy, amino, or nitro groups, and optionally containing one or more hetero atoms which may form part of, or be, a functional group;

and R₈ is selected from H, R, OH, OR, halo, amino, NHR, nitro, Me₃Sn, where R is as defined above, or the compound is a dimer with each monomer being the same or different and being of formula **Ia** or **Ib**, where the R₈ groups of the monomers form together a bridge having the formula -X-R'-X- linking the monomers, where R' is an alkylene chain containing from 3 to 12 carbon atoms, which chain may be interrupted by one or more hetero-atoms and/or aromatic rings and

Sub
BS

5
10
15
20

Sub
BS
may contain one or more carbon-carbon double or triple bonds, and
each X is independently selected from O, S, or N; or R₇ and R₈
together form a group -O-(CH₂)_p-O-, where p is 1 or 2;
except that in a compound of formula Ia when A is a single bond,
5 then R₂ is not CH=CH(CONH₂) or CH=CH(CONMe₂).

10
2. A compound of formula Ia according to claim 1, with the
proviso that when A is a single bond, then R₂ is not CH=CR^AR^B, where
R^A and R^B are independently selected from H, R^C, COR^C, CONH₂, CONHR^C,
CONR^C, cyano or phosphonate, where R^C is an unsubstituted alkyl
group having 1 to 4 carbon atoms.

Sub
BS
15
3. A compound according to either claim 1 or claim 2, wherein A
is CH₂.

Sub
BS
20
4. A compound according to claim 3, wherein R₂ is CO₂H, CO₂R,
CH₂OH, or CH₂OR.

5. A compound according to claim 4, wherein R₂ is CO₂Me, CO₂^tBu,
CH₂OH, or CH₂OAc.

Sub
BS
25
6. A compound according to claim 1 or claim 3, wherein A is a
single bond, and R₂ is an aryl group, or an alkyl or alkaryl group
which contains at least one double bond which forms part of a
conjugated system with the double bond of the C-ring.

Sub
BS
7. A compound according to any one of the preceding claims
wherein R₆, R₇ and R₈ and, unless the compound is a dimer, R₉ are
independently selected from H and OR.

8. A compound according to claim 7, wherein R_6 , R_7 , and R_8 and, unless the compound is a dimer, R_8 are independently selected from H, OMe and OCH_2Ph .


9. A compound according to claim 7, wherein R_7 and, unless the compound is a dimer, R_8 are OR, and R_6 and R_9 are H.

10. A compound according to claim 9, wherein R_7 and, unless the compound is a dimer, R_8 are independently either OMe or OCH_2Ph .

11. A compound according to any one of the preceding claims of formula Ia.

12. A compound according to any one of the preceding claims which is a dimer, wherein the dimer bridge is of the formula $-O-(CH_2)_p-O-$, where p is from 1 to 12.

13. A compound of formula II:



wherein:

R'_2 is selected from: O, CHR''_2 , where R''_2 is selected from H, R, CO_2R , COR, CHO, CO_2H , halo;

R_6 , R_7 and R_8 are independently selected from H, R, OH, OR, halo, amino, NHR, nitro, Me_3Sn ;

where R is a lower alkyl group having 1 to 10 carbon atoms, or an aralkyl group of up to 12 carbon atoms, whereof the alkyl group optionally contains one or more carbon-carbon double or triple bonds, which may form part of a conjugated system, or an aryl group of up to 12 carbon atoms; and is optionally substituted by one or more halo, hydroxy, amino, or nitro groups, and optionally containing one or more hetero atoms which may form part of, or be, a functional group;

and R₆ is selected from H, R, OH, OR, halo, amino, NHR, nitro, Me₃Sn, where R is as defined above or the compound is a dimer with each monomer being the same or different and being of formula II, where the R₆ groups of the monomers form together a bridge having the formula -X-R'-X- linking the monomers, where R' is an alkylene chain containing from 3 to 12 carbon atoms, which chain may be interrupted by one or more hetero-atoms and/or aromatic rings and may contain one or more carbon-carbon double or triple bonds, and each X is independently selected from O, S, or N; or R₇ and R₈ together form a group -O-(CH₂)_p-O-, where p is 1 or 2;

except that:

(i) when R' is CH-Et, and R₆, R₈ and R₉ are H, R₇ is not sibirosamine pyranoside; and

(ii) when R' is CH-Me, and R₆ and R₉ are H, R₇ and R₈ are not both H or both OMe, or OMe and OH respectively.

14. A compound according to claim 13, wherein R' is O, CH₂ or CHCH₃.

Sub B11 15. A compound according to either claim 13 or claim 14, wherein R_6 , R_7 and R_8 and, unless the compound is a dimer, R_8 are independently selected from H, OR or a halogen atom.


5 Sub B12 16. A compound according to claim 15, wherein R_6 , R_7 and R_8 and, unless the compound is a dimer, R_8 are independently selected from H, OMe and OCH_2Ph , and I.

Sub B13 17. A compound according to claim 15, wherein R_7 and, unless the compound is a dimer, R_8 are independently OR or a halogen atom and R_6 and R_8 are H.

Sub B14 18. A compound according to claim 17, wherein R_7 and, unless the compound is a dimer, R_8 are independently selected from OMe, OCH_2Ph or I.

Sub B15 19. A compound according to any one of claims 13 to 18 which is a dimer, wherein the dimer bridge is of the formula $-O-(CH_2)_p-O-$, where p is from 1 to 12.

20 20. A compound of the formula **III**:



(III)

wherein:

R_6 , R_7 and R_8 are independently selected from H, R, OH, OR, halo, amino, NHR, nitro, Me_3Sn ;

where R is a lower alkyl group having 1 to 10 carbon atoms, or an aralkyl group of up to 12 carbon atoms, whereof the alkyl group optionally contains one or more carbon-carbon double or triple bonds, which may form part of a conjugated system, or an aryl group of up to 12 carbon atoms; and is optionally substituted by one or more halo, hydroxy, amino, or nitro groups, and optionally containing one or more hetero atoms which may form part of, or be, a functional group,

and R_8 is selected from H, R, OH, OR, halo, amino, NHR, nitro, Me_3Sn , where R is as defined above or the compound is a dimer with each monomer being the same or different and being of formula III, where the R_8 groups of the monomers form together a bridge having the formula $-X-R'-X-$ linking the monomers, where R' is an alkylene chain containing from 3 to 12 carbon atoms, which chain may be interrupted by one or more hetero-atoms and/or aromatic rings and may contain one or more carbon-carbon double or triple bonds, and each X is independently selected from O, S, or N; or R_7 and R_8 together form a group $-O-(CH_2)_p-O-$, where p is 1 or 2;

wherein at least one of R_6 , R_7 , R_8 and R_9 are not H;

except that:

(i) when R_6 and R_9 are H, R_7 and R_8 are not both OMe, OMe and OBn respectively, or OMe and OH respectively;

(ii) when R_6 and R_7 are H, R_8 and R_9 are not Me and OH respectively;

(iii) when three of R_6 , R_7 , R_8 and R_9 are H, the other is not Me;

(iv) when R_6 , R_7 , and R_8 are H, R_9 is not OMe;

(v) when R_6 , R_8 and R_9 are H, R_7 is not OMe; and

Sub
B16

(vi) when R_6 , and R_7 are H and R_8 is OMe, the compound is not a dimer.

Sub
D1
5

21. A compound according to claim 20, wherein only one of R_6 , R_7 , R_8 and R_9 is H.

22. A compound according to claim 21, wherein those of R_6 , R_7 , R_8 and, unless the compound is a dimer, R_9 which are not H are OR.

10 23. A compound according to claim 22, wherein those of R_6 , R_7 , R_8 and, unless the compound is a dimer, R_9 which are not H are selected from OMe, and OBn.

15 24. A compound according to either claim 20 or claim 21, wherein at least one of R_6 , R_7 , R_8 and R_9 is a dimer, is NH_2 .


Sub
B17
20 25. A compound according to claim 20, claim 21 or claim 24, wherein at least one of R_6 , R_7 , R_8 and R_9 is an aryl group, preferably of up to 12 carbon atoms, which is optionally substituted by one or more halo, hydroxy, amino, or nitro groups, and optionally contains one or more hetero atoms which may form part of, or be, a functional group.

25 26. A compound according to claim 25, wherein at least one of R_6 , R_7 , R_8 and R_9 , is a phenyl group, optionally substituted by one or more methoxy, ethoxy or nitro groups.

Sub
D1 27. A compound according to claim 26, wherein at least one of R_6 , R_7 , R_8 and R_9 , is selected from: Ph, p-MeO-Ph, m-NO₂-Ph and p-NO₂-Ph.

Sub
Pr8
28. A compound according to any one of claims 20 to 27 where the compound is a dimer, wherein the dimer bridge is of the formula -O-(CH₂)_p-O-, where p is from 1 to 12.

5 29. A compound of formula IV:



wherein:

R₆, R₇, and R₉ are independently selected from H, R, OH, OR, halo, amino, NHR, nitro, Me₃Sn;

where R is a lower alkyl group having 1 to 10 carbon atoms, or an aralkyl group of up to 12 carbon atoms, whereof the alkyl group optionally contains one or more carbon-carbon double or triple bonds, which may form part of a conjugated system, or an aryl group of up to 12 carbon atoms; and is optionally substituted by one or more halo, hydroxy, amino, or nitro groups, and optionally containing one or more hetero atoms which may form part of, or be, a functional group;

R₈' and R₈'' are either independently selected from H, R or together form a cyclic amine; and

n is from 1 to 7.

30. A compound according to claim 29, wherein one of R₈' and R₈'' is a nitrogen protecting group.

Sub B19 31. A compound according to either claim 29 or 30, wherein R₁ is an electron withdrawing group.

Sub B20 32. A compound according to any one of claims 29 to 31, wherein R₆ and R₇ are selected from H and OR.

Sub 01 33. A compound according to claim 32, wherein R₆ and R₇ are selected from OMe, OEt and OBn.

Sub B21 34. A compound according to any one of claims 30 to 33, wherein n is 1 to 3.

Sub B22 35. A compound according to any one of the preceding claims wherein R is selected from a lower alkyl group having 1 to 10 carbon atoms, or an aralkyl group of up to 12 carbon atoms, or an aryl group of up to 12 carbon atoms, optionally substituted by one or more halo, hydroxy, amino, or nitro groups.

20 Sub 01 36. A compound according to claim 35, wherein R is selected from a lower alkyl group having 1 to 10 carbon atoms optionally substituted by one or more halo, hydroxy, amino, or nitro groups.

25 37. A compound according to claim 36, wherein R is an unsubstituted straight or branched chain alkyl having 1 to 10 carbon atoms.

Sub B23 38. The use of a compound according to any one of the preceding claims in a method of therapy.

39. A pharmaceutical composition comprising a compound according to any one of claims 1 to 37 and ~~pharmaceutically~~ acceptable carrier or diluent.

Sub
5 B24

40. The use of a compound according to any one of claims 1 to 37 to prepare a medicament for the treatment of a gene-based disease.

Sub
B25
10

41. The use of a compound according to any one of claims 1 to 37 to prepare a medicament for the treatment of a viral, parasitic or bacterial infection.

Sub
C8

42. A process for preparing a compound according to any one of claims 1 to 37.

Sub
B26

43. The use of a compound according to any one of claims 1 to 37 for the preparation of a medicament for the treatment of cisplatin-refractory disease.

Sub
20 B27

44. A method of inhibiting the growth of cisplatin-refractory cells which method comprises treating said cells with a compound according to any one of claims 1 to 37.

Sub
B28
25

45. A method according to claim 44 wherein said compound is SJG-136 1,1'-[[[(Propane-1,3-diyl)dioxy]bis[(11aS)-7-methoxy-2-methylidene-1,2,3,11a-tetrahydro-5H-pyrrolo[2,1-c][1,4]benzodiazepin-5-one]].

add
B29

add
C15

add
D1